

BLUE GRYB ROTATING ICEBREAKER

BG SERIES



PROS

Abrasive and melting material reduction (green solution)

3 times faster than standard icebreaking operation even at very low temperatures

Crushes ice up to 2 inches thick

Interchangeable bolted-on teeth by section, which reduces servicing costs

TECHNICAL SPECIFICATIONS

GENERAL OVERVIEW

BLUE GRYB ROTATING ICEBREAKER

Our innovative new product means reduced use of chemicals and salt for de-icing roads and sidewalks. The Blue GRYB crushes ice quickly and efficiently with its serrated roller and unique design using an optimized width for each job. It automatically adapts to the ground leveling and works by inertia, enabling you to reduce your maintenance costs.

Put it to the test! Ask us about a free demonstration.

Speed

Maximum speed of 25 km/h

Shock absorption

Equipped with rubber shock absorbers for shock absorption.

Ground protection

Unique angled helix design using a 7-tooth serrated roller installed at every half inch to avoid marking ground.

Sizes

Widths available for sidewalks and parking lots.

TECHNICAL SPECIFICATIONS

FRAME AND ROLLER

MODEL	WIDTH (IN)	HEIGHT (IN)	DEPTH (IN)	WEIGHT (LB)
BGR100-041006	46	30	37 ¼	1 710
BGR100-048007	53	30	37 ¼	1 980
BGR100-072010	74	30	37 ¼	2 650
BGR100-097014	102	30	37 ¼	3 950

** Various models available on request.*

ROLLER

MODEL	WORKING WIDTH (IN)	ROLLER DIAMETER (IN)	# OF ROLLERS	# OF TEETH
BGR100-041006	41	25 ¾	6	504
BGR100-048007	48	25 ¾	7	788
BGR100-072010	69	25 ¾	10	840
BGR100-097014	97	25 ¾	14	1 176

** All roller teeth are made with 500 BHN steel.*

COMPATIBILITY

- ✓ Bobcat
- ✓ Doosan
- ✓ JCB
- ✓ Komatsu
- ✓ Manitou
- ✓ Volvo
- ✓ Case
- ✓ Ford
- ✓ John Deere
- ✓ Kubota
- ✓ New Holland
- ✓ Caterpillar
- ✓ Hyundai
- ✓ Kawasaki
- ✓ Liebherr
- ✓ Terex

OPTIONS

COMBINED SERIES AVAILABLE

MODEL	# OF WHEELS	WORKING WIDTH	TOTAL WIDTH
BGR200-138020	20	138 in (2 x 69 in)	143 in
BGR200-194028	28	194 in (2 x 97 in)	197 in